

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	09/540,426	JONES, BRENDA S.
	Examiner	Art Unit
	Cassandra Davis	3611

-- *The MAILING DATE of this communication appears on the cover sheet with the correspondence address--*

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to amendment filed March 25, 2004.

2.  The allowed claim(s) is/are 1,2,7,8,11,22 and 29-32.

3.  The drawings filed on 31 March 2000 are accepted by the Examiner.

4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a)  All      b)  Some\*    c)  None    of the:

1.  Certified copies of the priority documents have been received.

2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.

3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.

6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.

(a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  
1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.

(b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of  
Paper No./Mail Date \_\_\_\_\_.

**Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**

7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_

Cassandra Davis  
Primary Examiner  
Art Unit: 3611

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Needham J. Boddie on April 19, 2004.

The application has been amended as follows:

1. A promotional apparatus. comprising;  
a transparent, flexible, sealed, fluid filled intravenous fluid bag comprising promotional indicia,  
and an aperture adjacent an end thereof;  
a clock mounted on the flexible intravenous fluid bag; and  
a stand. wherein the intravenous fluid bag is suspended from the stand via the aperture.

29. The promotional apparatus according to Claim 7 further comprising a stand and wherein the two transparent, flexible polymeric sheet panels joined to form a shape that resembles an intravenous fluid bag are supported by the stand on a horizontal surface at an angle relative to the horizontal surface.

30. The promotional apparatus according to Claim 10 7 wherein stand further comprises a card holder.

31. A promotional apparatus, comprising:  
a transparent, flexible sealed, fluid filled intravenous fluid bag comprising promotional indicia;  
a clock mounted on the flexible intravenous fluid bag; and  
a stand, wherein the intravenous fluid bag is supported by the stand on a horizontal surface at an angle relative to the horizontal surface.

32. The promotional apparatus according to Claim 31 wherein the clock comprises a digital display.

Claim 33 has been canceled

Claim 34 has been canceled.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cassandra Davis whose telephone number is 703-308-2223. The examiner can normally be reached on Monday-Friday 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lesley Morris can be reached on 703-308-0629. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Cassandra Davis  
Primary Examiner  
Art Unit 3611

CD  
April 19, 2004